PERSPECTIVE



Integrating fast and slow processes is essential for simulating human–freshwater interactions

Nicole K. Ward , Leah Fitchett, Julia A. Hart , Lele Shu , Joeseph Stachelek , Weizhe Weng, Yu Zhang, Hilary Dugan, Amy Hetherington, Kevin Boyle, Cayelan C. Carey , Kelly M. Cobourn , Paul C. Hanson, Armen R. Kemanian , Michael G. Sorice , Kathleen C. Weathers

Received: 7 June 2018/Revised: 10 November 2018/Accepted: 7 December 2018/Published online: 19 December 2018

Abstract Integrated modeling is a critical tool to evaluate the behavior of coupled human-freshwater systems. However, models that do not consider both fast and slow processes may not accurately reflect the feedbacks that define complex systems. We evaluated current coupled human-freshwater system modeling approaches in the literature with a focus on categorizing feedback loops as including economic and/or socio-cultural processes and identifying the simulation of fast and slow processes in human and biophysical systems. Fast human and fast biophysical processes are well represented in the literature, but very few studies incorporate slow human and slow biophysical system processes. Challenges in simulating coupled human-freshwater systems can be overcome by quantifying various monetary and non-monetary ecosystem values and by using data aggregation techniques. Studies that incorporate both fast and slow processes have the potential to improve complex system understanding and inform more sustainable decision-making that targets effective leverage points for system change.

Keywords Coupled human-natural systems · Coupled modeling · Decision-making · Feedbacks · Water resources

INTRODUCTION

Coupled natural and human system (CNHS) models are a critical tool to improve system understanding and to inform sustainable decision-making. Importantly, modeling

enables experimentation and prediction in complex systems. Here, prediction is not intended to "see the future," but rather to assist decision-makers in understanding potential futures or system trajectories based on today's decisions (Srinivasan et al. 2017). For CNHS models to illustrate potential futures, they must simulate feedback loops, or the two-way interaction between human and biophysical system components (Box 1, Troy et al. 2015). Feedback loops are important to include in CNHS models because they may give rise to complex system behavior, such as non-linearities, time lags, and surprises (Hull et al. 2015). Environmental management decisions are often made in response to short-term dynamics, while ignoring complex system behavior over the long term, resulting in unintended consequences (Chapin et al. 2009). Thus, for CNHS models to effectively inform management decisions, it is critically important to incorporate the interaction of processes occurring over different time scales. We argue that incorporating both fast and slow feedbacks is critical for simulating CNHS dynamics in human-freshwater systems, yet this coupling is rarely represented in CNHS models.

Incorporating feedback loops that operate over short and long time scales into system models will improve the simulation of CNHS dynamics. A feedback loop occurs when a change in one part of the system elicits a response elsewhere in the system, causing further change that compounds or mediates the original change (Hull et al. 2015). Feedback loops in CNHS are made up of "fast" processes occurring over days and years and "slow" processes occurring over decades and centuries. Fast and slow processes alter fast and slow state variables, respectively (Box 1 and Fig. 1, see discussion of fast and slow variables in CNHS in Chapin et al. 2009). Fast state variables include, for example, water clarity, algal concentration, or

Electronic supplementary material The online version of this article (https://doi.org/10.1007/s13280-018-1136-6) contains supplementary material, which is available to authorized users.





Fig. 1 Examples of fast and slow variable and process interactions in terrestrial, aquatic, economic, and socio-cultural subsystems within a CNHS. Within biophysical systems, aquatic subsystem processes and variables operate within the context of the terrestrial subsystems. Similarly, within human systems, economic subsystem processes and variables operate within the context of the socio-cultural subsystem. Within each subsystem, fast processes and variables, such as algal production (process) and chlorophyll-a (chl-a; variable) change within the context of slow processes and variables, such as eutrophication (process) and trophic state (variable). Fast variables (e.g., crop yield) may contribute to abrupt change in slow variables (e.g., soil organic matter) if a threshold is crossed

crop yield in biophysical systems, and land management or crop price in human systems. Since fast processes operate on a time scale of days to years, fast variables often change from day to day or year to year. Fast processes occur within the context of slow processes, such as ecosystem regime shifts in biophysical systems or the emergence of new markets or cultural change in human systems (Fig. 1). Slow state variables include, for example, lake trophic state in biophysical systems and behavioral norms in human systems (Fig. 1). Slow variables are often stable from year to year, but may change over the course of decades or centuries. The change in a slow variable may occur incrementally over time or abruptly at threshold points (Chapin et al. 2009).

Environmental policy and management decisions are often short-term "quick-fixes" (Stroh 2015) made in response to fast variables that ignore the non-linearities and time lags inherent in complex systems (Levin et al. 2012) and cause unintended consequences (Chapin et al. 2009). Such quick-fix management decisions are among the least effective tools to initiate change in a system (Meadows 1999; Abson et al. 2017). In contrast to quick-fixes, effective policy and management decisions over the long term initiate deeper systemic change by considering overall system dynamics, including the interaction of fast and slow variables (Meadows 1999; Matson et al. 2016). Thus, for CNHS models to effectively inform management decisions, they must incorporate the interaction of variables changing over different time scales within system feedback loops. We argue that incorporating *both* fast *and* slow processes is critical for simulating CNHS dynamics in human–freshwater systems, yet this coupling is rarely represented in CNHS models.

We examined the current state of the scientific literature to determine whether and how fast and slow processes are represented in coupled models of human–freshwater systems. We found that the representation of slow processes is a rarity in coupled human–freshwater modeling, and that feedback loops with slow human system processes are most often simulated with socio-cultural modeling approaches. We present strategies to improve the representation of feedback loops in models of freshwater CNHS and highlight novel insights gleaned from studies that incorporate both fast and slow processes.

LITERATURE REVIEW

Methods

There are many different types of modeling in CNHS. Here, we focus on coupled component modeling (or "coupled modeling") in human–freshwater systems. Coupled modeling is the linkage of multiple (two or more) stand-along disciplinary models to represent a CNHS, for example, linking an economic decision-making model and

© The Author(s) 2018 www.kva.se/en a hydrologic model (Box 1). Coupled modeling maintains disciplinary rigor and enables the representation of processes at different hierarchical scales (Kelly et al. 2013). Throughout the paper, we use "model" to refer to computer-based algorithm and simulation models (Box 1). We chose to focus on human–freshwater systems as exemplary CNHS due to strong interdependencies in these systems (Cobourn et al. 2018). For example, freshwaters (lakes, rivers, wetlands, and groundwater) provide high-value ecosystem services (e.g., MEA 2005; de Groot et al. 2012), yet the services they provide are often affected by human activities such as land-use practices (Carpenter et al. 2011).

We reviewed the scientific literature related to coupled modeling in human-freshwater systems for all papers available on abstract index databases on the topic before 15 August 2017. We identified 601 peer-reviewed papers through keyword searches in Web of ScienceTM Core Collection by Thomson Reuters, SocINDEX by EBSCO host, and Water Resources Abstracts by ProQuest. We also included relevant citations identified in references cited within the 601 papers. We screened all abstracts and narrowed our pool of modeling papers to those that focused on freshwater systems and those that used a coupled modeling approach combining at least one process-based biophysical system model and one human system model. We focused on process-based biophysical models due to the need to represent complex biophysical interactions (Kelly et al. 2013) and because of the challenges of coupling highly detailed, spatially distributed biophysical models with human system models. For a detailed description of literature review methods and the keyword search terms used, see supplemental material (S1).

In total, we identified 26 papers meeting our selection criteria (Fig. 2). To compare papers across different model platforms and conceptual representations, we mapped modeling approaches on a generalizable "impact-service feedback" conceptual diagram (Fig. 3, adapted from Collins et al. (2011)). The impact-service conceptual model frames the connection from the human system to the biophysical system as "impacts" (e.g., water use, conservation practice), and the connection from the biophysical system to the human system as "services" provided (e.g., ecosystem services such as water availability and erosion control). The impact-service conceptual framework explicitly highlights the variables passed between human system models and biophysical systems models.

We classified these 26 papers based on the type of feedback represented and the types of processes simulated in the coupled model: no feedback loop, a feedback loop with economic processes, and a feedback loop with economic and socio-cultural processes (Box 1). We define an economic process as a series of reactions or operations that act on economic variables. Examples of economic processes include market development and human decision-making in response to markets and policy incentives (Box 1). We define a socio-cultural process as a series of reactions or operations that act on social, cultural, and institutional variables. Examples of socio-cultural processes include preference formation, cultural and institutional change, and human decision-making in response to shared values or behavioral norms (Box 1). Economic and socio-cultural processes interact to form human preferences and drive human decision-making. Additionally, we identified whether studies represented terrestrial and/or aquatic processes (see Box 1 for definitions) and identified whether each study simulated fast and/or slow processes in the human system and biophysical system.

Results

Of the 26 studies, 13 were categorized as having no feedback loops (Table 1). Of these 13 studies without feedback loops, ten simulated the slow biophysical process of water supply change (e.g., groundwater depletion), and no papers simulated slow human processes (Table 1). These coupled models without feedback loops were composed of unidirectional impacts; for example, output variables from a human system model were used as input variables to a biophysical system model, but not back to the human system. These studies often used a suite of scenario simulations based on previous simulation outcomes (i.e., the model output at the end of the first simulation, such as water supply, was then used as input for the next scenario), creating a model-user mediated form of feedback loop. For example, Yaeger et al. (2014) ran a human system optimization model to determine land-use inputs for a hydrologic model. The hydrologic outcomes were then used as inputs to the human decision-making model in the next simulation. This is a "no feedback loop" example because the hydrologic outcomes are not automatically fed back to the human decision-making model within one simulation.

Alternatively, "no feedback loop" scenarios may be determined separately from baseline simulation outcomes. For example, Daloğlu et al. (2014) used scenarios to test the effect of different agricultural policies and non-operator (absentee) landowner involvement on water quality outcomes. They used an agent-based model (ABM) to simulate producer adoption of conservation practices under policy and non-operator involvement scenarios. Producer decisions were based on net farm income, land management preferences, and influence from neighbors. Output of the ABM (e.g., adoption of conservation practices) was converted to a land-use map, which was then used as input to the Soil and Water Assessment Tool (SWAT). Daloğlu et al. (2014) then used SWAT to assess the amount of sediment and phosphorus loss associated with each



Fig. 2 Coupled modeling literature review search and categorization methods, see S1 for full methods description including identification of papers from Kelly et al. (2013). All 26 selected studies passed variables from human to biophysical system models; 13 of the 26 studies simulated a feedback loop from the biophysical system to the economic subsystem (and back into the biophysical system); 3 of the 26 studies simulated a feedback loop from the biophysical system to both the economic and cultural subsystems (and back into the biophysical system)



Fig. 3 Impact-service feedback loop, modified from Collins et al. (2011). Human actions *impact* the natural system through pulse and press disturbances, and the state of the ecosystem determines the *ecosystem services* that are available to the human system. Therefore, human and natural system models are connected through *human impact* and *ecosystem services* via the impact-service feedback loop

scenario (Fig. 4a). "No feedback loop" coupled models such as described in these two studies can increase understanding of the current state of the system and are appropriate for short time scale questions, but may be limited in application to longer time scales because they do not simulate feedback loops that give rise to potential complex system dynamics. However, applying different scenarios to models with no feedback loops can improve applicability of the results to longer time scales. Twenty-eight percent (n = 10) of the papers simulated feedback loops with economic processes, but did not simulate socio-cultural processes. These coupled models passed variables both *from* a human decision-making model to a biophysical system model and from a biophysical system model *to* a human decision-making model. Of these ten studies, seven simulated the slow biophysical process of water supply change (e.g., groundwater depletion), one simulated the slow biophysical processes of soil fertility

Feedback loop type	Processes simulated	Example variable(s) passed between models	Years simulated	Citation
No feedback loop	$Econ + SC \rightarrow Aquatic$	Land management (conservation practices)	41	Daloğlu et al. (2014)
	Econ \rightarrow Aquatic	Land use (crop and fertilizer)	15	Gandolfi et al. (2014)
	Econ \rightarrow Aquatic	Impervious surface area (ha)	30	Hong et al. (2012)
	Aquatic \rightarrow Econ	Water supply (m^3) ; Stream discharge (m^3/s)	NA	Kokkinos et al. (2014)
	$\begin{array}{l} \text{Aquatic} \rightarrow \text{Terrestrial} \rightarrow \\ \text{Econ} \end{array}$	$\frac{\overline{\text{Groundwater (m)}; Soil moisture (m^3/m^3); Crop}}{\text{yield (t/ha)}}$	50	Krol et al. (2001)
	Aquatic \rightarrow Terrestrial \rightarrow Econ	$\frac{\text{Groundwater (m); } Stream \ discharge \ (m^3/s);}{Crop \ yield \ (t/ha)}$	20	Magombeyi and Taigbenu (2011)
	Econ \rightarrow Aquatic	Water use (m ³ /month)	40	Sato et al. (2009)
	Aquatic \rightarrow Econ	Water availability (m^3/s)	50	Skoulikaris et al. (2009)
	Econ \rightarrow Aquatic	Water demand (m ³ /yr); Groundwater (m)	3–17	Varela-Ortega et al. (2011)
	Aquatic \rightarrow Econ	Concentration of algae $(\mu g/L)$	30	van der Veeren and Lorenz (2002)
	Econ \rightarrow Aquatic	Land use (crop); Water quality (concentration of N); Water supply (m^3)	45	Yaeger et al. (2014)
	Aquatic \rightarrow Econ	Water supply (m^3) ; Water availability (m^3/s)	14	Xiang and Jun (2009)
	$\begin{array}{l} \text{Econ} + \text{SC} \rightarrow \text{Terrestrial} \rightarrow \\ \text{Aquatic} \end{array}$	Landowner benefit; Land use (fertilizer rate); Runoff (mm); Groundwater (m)	40	Zia et al. (2016)
Feedback loop with Econ processes	$\begin{array}{l} \text{Econ} \rightarrow \text{Terrestrial} \rightarrow \\ \text{Aquatic} \rightarrow \text{Econ} \end{array}$	Total income (€); Land use (ha); Surface water availability (Hm ³ /yr); Groundwater (Hm); Water use (Hm ³ /yr)	8	Cabello et al. (2015)
	Econ \rightarrow Aquatic \rightarrow Econ	Water use (m ³); <u>Groundwater (m³);</u> Water transport (km)	4–20	Grundmann et al. (2012)
	Aquatic \rightarrow Econ \rightarrow Aquatic	Stream discharge (m^3/s) ; Water shortage degree; Water use (m^3)	50	Jia et al. (2009)
	$\begin{array}{l} \text{Econ} \rightarrow \text{Aquatic} \rightarrow \\ \text{Terrestrial} \rightarrow \text{Econ} \end{array}$	Municipal income (\$/yr); Water supply (m ³); Crop yield (t/ha); Farm income (\$/yr)	100	Krol and Bronstert (2007)
	$\begin{array}{l} \text{Econ} \rightarrow \text{Terrestrial} \rightarrow \\ \text{Aquatic} \rightarrow \text{Econ} \end{array}$	Crop management (crop type and fertilizer use); Crop yield (t/ha); Crop water demand (mm); Surface water availability (m ³ /10 days)	5	Letcher et al. (2006)
	Aquatic \rightarrow Econ \rightarrow Aquatic	Land use (crop and management); Water quality (nitrogen conc.)	12	Rutledge et al. (2008)
	Aquatic \rightarrow Econ \rightarrow Aquatic	Water use (m ³ /yr); Water supply (m); <u>Technology adoption</u>	40	Srinivasan (2015)
	Terrestrial \rightarrow Econ \rightarrow Aquatic \rightarrow Terrestrial	Crop yield (t/ha); Water demand (m^3/day) ; <u>Water supply (m³);</u> Water availability (m^3/day) ; Crop growth (leaf area index); Fertile soil depth (m)	30	van Delden et al. (2007)
	Econ \rightarrow Aquatic \rightarrow Econ	Land value (\$/ha); Land cover (forested); Groundwater (m)	5	Voinov et al. (2007)
	Aquatic \rightarrow Econ \rightarrow Aquatic	<u>Water supply (m^3); Water availability (m^3/yr);</u> Water demand (m^3/yr)	18	Zeng et al. 2012
Feedback Loop with Econ and SC processes	Terrestrial \rightarrow Aquatic \rightarrow SC \rightarrow Econ \rightarrow Terrestrial	Land cover (agriculture); Groundwater (m ³); Water quality (cyanobacteria: µg/L); Community sensitivity; land clearing (ha/yr)	100	Elshafei et al. (2014)
	$\begin{array}{l} \text{Econ} \rightarrow \text{Aquatic} \rightarrow \text{SC} \rightarrow \\ \text{Econ} \end{array}$	Water demand (m ³ /yr); Water availability (m ³ / yr); pluralistic stakeholder preferences	NA	Fedra (2007)
	$\begin{array}{l} \text{Econ} \rightarrow \text{Aquatic} \rightarrow \text{SC} \rightarrow \\ \text{Econ} \end{array}$	Phosphorus load (kg/yr); Water clarity (# of clear water days); Environmental satisfaction (# of clear water days: desired); Level of engagement (0–1)	50	Roy et al. (2011)

Table 1 Example feedback loop types, processes simulated, variables passed between models, and years of simulation for each of the studies wereviewed. Econ is an abbreviation for Economic processes; SC is an abbreviation for Socio-Cultural processes. Fast variables are italicized andslow variables are underlined



Fig. 4 Example coupled modeling studies mapped onto the impact-service feedback loop. **a** No feedback loop is represented because no linkage is made from the biophysical system to the human system (Daloğlu et al. 2014); **b** A feedback loop is represented with the human system consisting exclusively of economic processes (Krol and Bronstert 2007); **c** A feedback loop is represented with the human system consisting of both economic and socio-cultural processes (Elshafei et al. 2014). Studies with or without a feedback loop differ in the biophysical and human process interactions that are represented. For example, **a** and **c** illustrate cases in which aquatic systems affect terrestrial systems and vice versa; in **b** the aquatic system influences the terrestrial system. Similarly, **a** illustrates a study that includes economic and socio-cultural processes but no interaction between them; **b** illustrates a study with only economic processes; and **c** illustrates a study with both economic and socio-cultural processes as well as their bi-directional interactions. The processes modeled as part of the biophysical system and human system shapes the nature of CNHS connections in the impact-service feedback loop

Fig. 5 Percentage of all 26 papers that simulated a given component connection and variable type (fast or slow). Thicker lines indicate more commonly simulated linkages; all percentages below 20 are presented in red text to highlight the least commonly simulated linkages

change, and one paper simulated a slow human system process (Table 1). Srinivasan (2015) simulated the slow human system process of technological innovation emergence and adoption of new technology as a result of market drivers. Srinivasan (2015) presents a simplified ("stylized") coupled model, where distinct algorithms represent key biophysical system and human system variables (e.g., water quantity and price) based on a previously used coupled component model.

Krol and Bronstert (2007) provide an example of linking disciplinary models in the full impact-service feedback loop with economic human system processes. They used a water-balance model (WASA) and an agricultural yield model (YES) to represent the biophysical system. Outputs of water balance and yield were used to determine the ecosystem services of water supply and food production, which were then used as inputs to a water-use model (NoWUM) and a regional agricultural economy model (RASMO). Outputs from the economic model drove changes in population dynamics (MigFLOW), which were used as input to the water-use model. Finally, the water-use model outputs were used to drive human impact on the water-balance model, completing the impact-service feedback loop (Fig. 4b).

Only twelve percent (n = 3) of the papers simulated feedback loops with socio-cultural processes in addition to economic processes (Table 1). One paper simulated the

slow biophysical system process of water supply change (Elshafei et al. 2014). Two of these three papers simulated slow human system processes (Roy et al. 2011; Elshafei et al. 2014). For example, Elshafei et al. (2014), simulated water availability, quality, and agricultural production (fast processes) using a water-balance model and a land-use model. Model outputs of ecosystem services (water quality, food production, etc.) then interacted with the slow process of cultural change and fast economic processes to affect the slow variable of "community sensitivity," or the community's perceived threat an environmental issue posed to their quality of life (Fig. 4c). Elshafei et al. (2014) found that when community sensitivity is high, the socio-cultural regime is enviro-centric, where environmental conservation measures are more likely to be employed. In this model application, the behavioral response to a given level of ecosystem services depends on the current state of the community sensitivity in the catchment.

Overall, 50% (n = 13) of the papers we reviewed simulated the full impact-service feedback loop while only three papers included socio-cultural processes (Fedra 2007; Roy et al. 2011; Elshafei et al. 2014) and only three papers included slow human system processes (Roy et al. 2011; Elshafei et al. 2014; Srinivasan 2015) (Table 1, Fig. 5). All of the 26 papers simulated fast human and biophysical system processes, with water quantity and price as the most common variable linkages. Within the biophysical system, 62% (*n* = 16) papers simulated slow freshwater processes, all of which were focused on surface and groundwater depletion. Only one paper simulated a slow terrestrial system process, changes to soil fertility (van Delden et al. 2007).

The rarity of CNHS models that include feedback loops with both economic and socio-cultural processes is likely a result of a less-established history of disciplinary collaboration between biophysical and socio-cultural researchers and more disparate disciplinary methodologies. Feedback loops with economic processes are likely more common because biophysical scientists and economists rely on relatively similar quantitative methodologies to represent system processes (Schlüter et al. 2017). For example, decision-making theories in economics are often represented using mathematical formulas, such as ordinary differential equations, which are similar to biophysical process-based model algorithms (Schlüter et al. 2017). These common methodological foundations facilitate collaboration between biophysical scientists and economists, potentially resulting in more well-established collaborations between these disciplines (Mooney et al. 2013). Similarly, water quantity is likely the most commonly represented slow biophysical system process due to the relative ease of mathematical representation of hydrological dynamics. Simulating water quantity change requires relatively straightforward and highly robust algorithms that, for the most part, include well-known physical dynamics. However, simulating water quality requires describing complex, often non-linear, and less well-established algorithms, in part because biological processes are intimately involved.

MODEL COUPLING METHODS

To reflect complex system dynamics, the development of coupled models requires highly interdisciplinary, collaborative teams. Incorporating multiple human-based disciplinary perspectives (e.g., social psychology and economics) in coupled models likely enables a more comprehensive representation of more types of humanfreshwater feedback loops, including interactions between fast and slow processes within the human system. Importantly, each discipline needs to be included and contribute to the design of a project's research questions, methods, and analytical approach. Whether and how this is done has been shown to make a difference in the quality of the interdisciplinary science that results (e.g., Cheruvelil et al. 2014).

All coupled human-freshwater system models we reviewed linked biophysical and economic variables. Biophysical models quantify environmental variables and economic models quantify the values people assign to goods and services, including market and non-market measures. Non-market values for ecosystem services may be quantified through estimates of stakeholders' willingness-to-pay, measured in monetary units (e.g., estimation of how much a stakeholder is willing to pay for in-stream flow benefits through surveys, as in Fedra (2007). One significant challenge in establishing these linkages is that biophysical system models often operate on an hourly or daily time step, whereas economic models often operate on a seasonal or annual time step, requiring data (model output and input) aggregation or disaggregation techniques. For examples of specific data aggregation techniques, see Letcher et al. (2006), Jia et al. (2009), Roy et al. (2011), Daloğlu et al. (2014), Gandolfi et al. (2014), and Cabello et al. (2015). Every paper we reviewed simulated fast processes in biophysical and economic components, but only two simulated slow economic processes (Elshafei et al. 2014; Srinivasan 2015) and only one simulated a slow biophysical shift in environmental quality (van Delden et al. 2007).

Linking socio-cultural processes as part of coupled models often requires explicitly representing or accounting for held values: basic principles that shape how people assign value to specific environmental entities (Jones et al. 2016). The implementation of feedback loops with sociocultural processes can be facilitated by eliciting the role of economic and socio-cultural factors in decision-making through participatory engagement of stakeholders with subsequent incorporation of those perspectives into the coupled model simulation (as in Fedra 2007). Alternatively, this can also be accomplished by simulating the role of social or cultural factors in determining the market value of ecosystem services. For example, Elshafei et al. (2014) simulated dynamic changes to "enviro-centrism" (a held value) as a result of changes in "community sensitivity," or perceived threat to livelihood as a result of environmental change (context of valuation). In the model, dynamic community sensitivity has the capacity to alter the level of enviro-centrism, changing the way values are assigned to ecosystem services and thereby altering human decisionmaking (Elshafei et al. 2014).

Agent-based models (ABMs) that incorporate psychosocial, cognitive, or institution-based theories of human decision-making and behavior are particularly useful for representing socio-cultural processes of how held values factor into market processes and human decision-making (An 2012). Incorporating feedback loops with socio-cultural processes in coupled models can be challenging; however, explicit representation of held values, use of ABMs, and use of human behavior theories that include the role of social and cultural contexts for decision-making provide a path forward for incorporating both economic *and* socio-cultural processes in CNHS model feedback loops (An 2012; Jones et al. 2016; Schlüter et al. 2017).

NOVEL INSIGHTS WITH FAST AND SLOW FEEDBACK LOOPS

Simulating fast and slow system processes together provides novel insights into complex system behavior. Time lags and the interaction of fast and slow processes in CNHS create non-linear complex system behavior (Filatova et al. 2016), in which a slow variable may remain relatively constant for years before changing, sometimes abruptly, in response to small but persistent forcing from fast variables. For example, changes in annual gross domestic product and water quality (fast variables) affect community sensitivity (a slow variable), which in turn affects human decisionmaking and subsequent gross domestic product and water quality (Elshafei et al. 2014). In this case, human decisionmaking in response to a given level of gross domestic product and water quality is context-dependent on the level of community sensitivity since people are more likely to adopt conservation measures when community sensitivity is high. Understanding how fast variables affect slow variables in this system is critical for predicting system trajectories: if the community sensitivity response to fast variables was not included in the coupled model, researchers may incorrectly assume that decision-making in response to a given gross domestic product and water quality will be the same today as in the future.

Additionally, since different stakeholders often have conflicting interests (e.g., agricultural development versus recreation), community sensitivity may differentially affect different stakeholder groups. In this case, the relative political power available to stakeholders is important in representing how decreasing water quality may in turn alter future local policy (Roy et al. 2011). Under conditions of high water quality, recreational stakeholders may not perceive threats to future recreation opportunities and thus may be relatively inactive in local policy debates. In contrast, under low water quality conditions, recreation-focused stakeholder groups may be more inclined to lobby for policy change that would improve water quality. Understanding the way slow human system processessuch as changes to policy or social norms-respond to fast biophysical and human system processes-such as changes in food production and water quality-is essential for informing potential long-term trajectories of CNHS. Our literature review emphasizes that a major challenge, and area for pushing knowledge forward in coupled humannatural systems, is to understand when and where changes in slow variables may occur as a result of changes in fast variables and how they control overall system dynamics.

Often, policy and management decisions are made in response to changes in fast variables without consideration of how the interaction of fast and slow variables determine overall system function and drive system dynamics over the long term. CNHS models that incorporate both fast and slow processes may reveal which management actions may be more effective over the long term. Currently, environmental decision-making often relies on "quick-fixes" (Stroh 2015) to initiate system change at "shallow" leverage points (Meadows 1999; Abson et al. 2017). Leverage points are focused alterations to a system (e.g., to a stock or flow, or to the system structure), which can initiate change in the rest of the system, and they range from least effective (shallow) to most effective (deep) at causing change to the overall system (Meadows 1999). Shallow leverage points are often interventions to fast variables and are the easiest to implement, but have the least potential to influence overall system dynamics (Abson et al. 2017). Shallow leverage points include policy changes to taxes, subsidies, and the rate of material flows in a system (e.g., regulating the extraction of water) (Abson et al. 2017). Since shallow leverage points do not necessarily account for fast-slow variable interactions, they often result in unintended consequences over the long term (Stroh 2015). An example of a shallow leverage point may be providing financial incentives to decrease the amount of phosphorus fertilizer applied on the land, which aims to affect the overall system by slowing the rate of phosphorus additions to the landscape. This management action is focused on controlling the rate of material flows in the system, but ignores the way that slow variables, such as social norms or community sensitivity, interact with fast variables to affect overall system dynamics, decreasing the effectiveness of the phosphorus incentive policy over the long term.

More effective, yet more difficult to implement leverage points are those that take into account an understanding of the system dynamics that arise out of the interaction between fast and slow variables, such as those that address system feedbacks (interaction between components), system design (social system drivers of feedbacks and parameters: e.g., power and structure of information flows), or system intent (system trajectory as a result of "values, goals, and world views of actors" in the system) (Abson et al. 2017). For example, rather than attempting to directly alter the rate of phosphorus fertilizer used through financial incentives as described above, a system design leverage point may alter information flows by reporting the quantity of phosphorus export from a land parcel directly to a landowner. Using a CNHS model to understand the processes of technology innovation or adoption as in Srinivasan (2015) elucidates a potential system design leverage point: altering the path of information flows of new technology may accelerate the rate of adoption. Altering the

© The Author(s) 2018 www.kva.se/en relative political power of stakeholder groups, as explored in Roy et al. (2011), is another potential system design leverage point. Using CNHS models with fast and slow variable interaction may increase system understanding among stakeholders, altering the most effective leverage points for system change: the intent of the system. Importantly, CNHS models that simulate both fast and slow human system processes foster new thinking around human–environment interactions and work toward wholesystem understanding.

CONCLUSIONS

There is a critical need for incorporating both fast and slow biophysical and human processes to simulate the feedback loops that fundamentally define CNHS over long time scales. Our literature review demonstrates that economics is often used to simulate fast human system processes over short time scales. The papers that simulated both economic and socio-cultural processes in feedback loops were more likely to also incorporate both fast and slow human system processes (two of the three papers). Thus, incorporation of both economic and socio-cultural factors in human decision-making may foster consideration of fast and slow interactions in CNHS (or vice versa).

Incorporating both fast and slow processes in coupled CNHS models enables exploration of time lags between slow and fast processes and threshold behavior in complex systems, working toward critical system understanding that fosters sustainable long-term decision-making. Improved understanding of complex dynamics has the potential to foster new understanding by researchers, decision-makers, and stakeholders, an essential step toward sustainable decision-making in complex systems (Matson et al. 2016). Incorporating both economic and socio-cultural processes in CNHS coupled models requires well-integrated interdisciplinary teams, use of aggregation techniques for linking economic and biophysical system models, and use of non-monetary ecosystem service valuations for linking socio-cultural and biophysical system processes (Cobourn et al. 2018).

Ultimately, incorporating fast and slow processes has the potential to reveal emergent system behaviors, such as how slow human system processes (social norms) may change as a result of biophysical variables (water quality and food production) and how these changes alter system trajectories. Incorporating fast and slow variables in CNHS models will also contribute to novel solution-oriented decisions, informing policies that focus on system feedbacks, system design, or system intent. Since the full dynamics of biophysical and human systems cannot be observed at any point in time or over the timeframe when many human decisions are made, modeling plays an important role in the future of human–environment research (Troy et al. 2015). We encourage adoption of CNHS models with integrated fast and slow processes to improve system representation and contribute to more sustainable decision-making.

Acknowledgements This work was financially supported by the National Science Foundation Coupled Natural and Human Systems grant ICER-1517823. We thank the CNH-Lakes team for their helpful comments throughout the project, and members of the Carey Lab at Virginia Tech for feedback on figures.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

REFERENCES

- Abson, D.J., J. Fischer, J. Leventon, J. Newig, T. Schomerus, U. Vilsmaier, H. von Wehrden, P. Abernethy, et al. 2017. Leverage points for sustainability transformation. *Ambio* 46: 30–39. https://doi.org/10.1007/s13280-016-0800-y.
- An, L. 2012. Modelling human decisions in coupled human and natural systems: Review of agent-based models. *Ecological Modelling* 229: 25–36. https://doi.org/10.1016/j.ecolmodel.2011. 07.010.
- Cabello, V., B.A. Willaarts, M. Aguilar, and L. del Moral Ituarte. 2015. River basins as social-ecological systems: Linking levels of societal and ecosystem water metabolism in a semiarid watershed. *Ecology and Society* 20: 20. https://doi.org/10.5751/ ES-07778-200320.
- Carpenter, S.R., E.H. Stanley, and M.J. Vander Zanden. 2011. State of the world's freshwater ecosystems: Physical, chemical, and biological Changes. *Annual Review of Environment and Resources* 36: 75–99. https://doi.org/10.1146/annurev-environ-021810-094524.
- Chapin, F.S., C. Folke, and G.P. Kofinas. 2009. A framework for understanding change. In *Principles of ecosystem stewardship*, ed. F.S. Chapin, G.P. Kofinas, and C. Folke, 3–28. New York: Springer.
- Cheruvelil, K., P. Soranno, K.C. Weathers, P.C. Hanson, S. Goring, C. Filstrup, and E. Read. 2014. Creating and maintaining highperforming collaborative research teams: The importance of diversity and interpersonal skills. *Frontiers in Ecology and the Environment* 14: 31–38.
- Cobourn, K.M., C.C. Carey, K.J. Boyle, C. Duffy, H.A. Dugan, K.J. Farrell, L. Fitchett, P.C. Hanson, et al. 2018. From concept to practice to policy: Modeling coupled natural and human systems in lake catchments. *Ecosphere* 9: 1–15.
- Collins, S.L., S.R. Carpenter, S.M. Swinton, D.E. Orenstein, D.L. Childers, T.L. Gragson, N.B. Grimm, J.M. Grove, et al. 2011. An integrated conceptual framework for long-term social-ecological research. *Frontiers in Ecology and the Environment* 9: 351–357. https://doi.org/10.1890/100068.

- Daloğlu, I., J.I. Nassauer, R. Riolo, and D. Scavia. 2014. An integrated social and ecological modelling framework—Impacts of agricultural conservation practices on water quality. *Ecology* and Society 19: 12. https://doi.org/10.5751/ES-06597-190312.
- de Groot, R., L. Brander, S. van der Ploeg, R. Costanza, F. Bernard, L. Braat, M. Christie, N. Crossmang, et al. 2012. Global estimates of the value of ecosystems and their services in monetary units. *Ecosystem Services* 1: 50–61. https://doi.org/10. 1016/j.ecoser.2012.07.005.
- Elshafei, Y., M. Sivapalan, M. Tonts, and M.R. Hipsey. 2014. A prototype framework for models of socio-hydrology: Identification of key feedback loops and parameterisation approach. *Hydrology and Earth System Sciences* 18: 2141–2166. https:// doi.org/10.5194/hess-18-2141-2014.
- Filatova, T., J.G. Polhill, and S. van Eqijk. 2016. Regime shifts in coupled socio-environmental systems: Review of modelling challenges and approaches. *Environmental Modelling & Software* 75: 333–347.
- Fedra, K., Kubat, M., Zuvela-Aloise, M. 2007. Water resources management: Economic valuation and participatory multi-criteria optimization. In *Proceedings of the second IASTED international conference*, 123–128.
- Gandolfi, C., G. Sali, A. Facchi, A. Tediosi, C. Bulgheroni, M. Rienzner, and E. Weber. 2014. Integrated modelling for agricultural policies and water resources planning coordination. *Biosystems Engineering* 128: 100–112. https://doi.org/10.1016/j. biosystemseng.2014.06.006.
- Grundmann, J., N. Schütze, G.H. Schmitz, and S. Al-Shaqsi. 2012. Towards an integrated arid zone water management using simulation-based optimisation. *Environmental Earth Sciences* 65: 1381–1394. https://doi.org/10.1007/s12665-011-1253-z.
- Hong, B., K.E. Limburg, M.H. Hall, G. Mountrakis, P.M. Groffman, K. Hyde, L. Luo, V.R. Kelly, et al. 2012. An integrated monitoring/modelling framework for assessing human-nature interactions in urbanizing watersheds: Wappinger and Onondaga Creek watersheds, New York, USA. *Environmental Modelling and Software* 32: 1–15. https://doi.org/10.1016/j.envsoft.2011. 08.006.
- Hull, V., M.N. Tuanmu, and J. Liu. 2015. Synthesis of human-nature feedbacks. *Ecology and Society* 20: 17. https://doi.org/10.5751/ ES-07404-200317.
- Jia, Y., H. Wang, H. Gan, Z. Zhou, Y. Qiu, J. You, Z. Gan, and C. Niu. 2009. Development of dualistic model for integrated water resources management in the Haihe River Basin. In *Proceedings* of the 16th IAHR-APD congress and 3rd symposium of IAHR-ISHS 281–287. https://doi.org/10.1007/978-3-540-89465-0_52.
- Jones, N.A., S. Shaw, H. Ross, K. Witt, and B. Pinner. 2016. The study of human values in understanding and managing socialecological systems. *Ecology and Society* 21: 15. https://doi.org/ 10.5751/ES-07977-210115.
- Kelly, R.A., A.J. Jakeman, O. Barreteau, M.E. Borsuk, S. ElSawaha, S.H. Hamilton, H. Jørgen Henriksen, S. Kuikka, et al. 2013. Selecting among five common modelling approaches for integrated environmental assessment and management. *Environmental Modelling and Software* 47: 159–181. https://doi.org/10. 1016/j.envsoft.2013.05.005.
- Kokkinos, K., N. Samaras, A. Loukas, and N. Mylopoulos. 2014. A collaborative approach to environmental modelling. In *Proceed*ings of the 2014 IEEE 23rd international WETICE conference, 223–228. https://doi.org/10.1109/wetice.2014.28.
- Krol, M.S., and A. Bronstert. 2007. Regional integrated modelling of climate change impacts on natural resources and resource usage in semi-arid Northeast Brazil. *Environmental Modelling and Software* 22: 259–268. https://doi.org/10.1016/j.envsoft.2005.07. 022.

- Krol, M.S., A. Jaeger, A. Bronstert, and J. Krywkow. 2001. The Semi-Arid Integrated Model (SIM), a regional integrated model assessing water availability, vulnerability of ecosystems and society in NE-Brazil. *Physics and Chemistry of the Earth* 26: 529–533.
- Letcher, R.A., B.F.W. Croke, A.J. Jakeman, and W.S. Merritt. 2006. An integrated modelling toolbox for water resources assessment and management in highland catchments: Model description. *Agricultural Systems* 89: 106–131. https://doi.org/10.1016/j. agsy.2005.08.007.
- Levin, S., T. Xepapadeas, A.S. Crépin, J. Norberg, A.D. Zeeuw, C. Folke, T. Hughes, K. Arrow, et al. 2012. Social-ecological systems as complex adaptive systems: Modeling and policy implications. *Environment and Development Economics* 18: 111–132. https://doi.org/10.1017/S1355770X12000460.
- Magombeyi, M.S., and A.E. Taigbenu. 2011. An integrated modelling framework to aid smallholder farming system management in the Olifants River Basin, South Africa. *Physics and Chemistry of the Earth* 36: 1012–1024. https://doi.org/10.1016/j.pce.2011.07.079.
- Matson, P., W.C. Clark, and K. Andersson. 2016. *Pursuing sustainability*. Princeton: Princeton University Press.
- MEA (Millenium Ecosystem Assessment). 2005. Ecosystems and human well-being: synthesis. Washington, D.C.: Island Press.
- Meadows, D. 1999. *Leverage points: Places to intervene in a system*. Hartland: The Sustainability Institute.
- Mooney, H.A., A. Duraiappah, and A. Larigauderie. 2013. Evolution of natural and social science interactions in global change research programs. *Proceedings of the National Academy of Sciences* 110: 3665–3672. https://doi.org/10.1073/pnas. 1107484110.
- Roy, E.D., J.F. Martin, E.G. Irwin, J.D. Conroy, and D.A. Culver. 2011. Living within dynamic social-ecological freshwater systems: System parameters and the role of ecological engineering. *Ecological Engineering* 37: 1661–1672. https://doi.org/10.1016/ j.ecoleng.2011.06.044.
- Rutledge, D.T., M. Cameron, S. Elliott, T. Fenton, B. Huser, G. McBride, G. McDonald, M. O'Connor, et al. 2008. Choosing regional futures: Challenges and choices in building integrated models to support long-term regional planning in New Zealand. *Regional Science Policy and Practice* 1: 85–108. https://doi.org/ 10.1111/j.1757-7802.2008.00006.x.
- Sato, Y., A. Onishi, Y. Fukushima, X. Ma, and J. Xu. 2009. An integrated hydrological model for the long-term water balance analysis of the Yellow River Basin. In *From headwaters to the ocean*, ed. M. Taniguchi, W.C. Burnett, Y. Fukushima, M. Haigh, and Y. Umezawa, 209–215. CRC Press.
- Schlüter, M., A. Baeza, G. Dressler, K. Frank, J. Groeneveld, W. Jager, M.A. Janssen, R.J. McAllister, et al. 2017. A framework for mapping and comparing behavioural theories in models of social-ecological systems. *Ecological Economics* 131: 21–35. https://doi.org/10.1016/j.ecolecon.2016.08.008.
- Skoulikaris, C., J. Ganoulis, and J.M. Monget. 2009. Integrated modelling of a new dam: A case study from the "HELP" Mesta/ Nestos River. In *Proceedings of the 18th World IMACS/ MODSIM Congress*, 4050–4056.
- Srinivasan, V. 2015. Reimagining the past—Use of counterfactual trajectories in socio-hydrological modelling: The case of Chennai, India. *Hydrology and Earth System Sciences* 19: 785–801. https://doi.org/10.5194/hess-19-785-2015.
- Srinivasan, V., M. Sanderson, M. Garcia, M. Konar, G. Blöschl, and M. Sivapalan. 2017. Prediction in a socio-hydrological world. *Hydrological Sciences Journal* 62: 338–345. https://doi.org/10. 1080/02626667.2016.1253844.
- Stroh, D.P. 2015. Systems thinking for social change. White River Junction: Chelsea Green Publishing.

- Troy, T.J., M. Konar, V. Srinivasan, and S. Thompson. 2015. Moving sociohydrology forward: A synthesis across studies. *Hydrology* and Earth System Sciences 19: 3667–3679. https://doi.org/10. 5194/hess-19-3667-2015.
- van Delden, H., P. Luja, and G. Engelen. 2007. Integration of multiscale dynamic spatial models of socio-economic and physical processes for river basin management. *Environmental Modelling* and Software 22: 223–238. https://doi.org/10.1016/j.envsoft. 2005.07.019.
- van der Veeren, R.J.H.M., and C.M. Lorenz. 2002. Integrated economic-ecological analysis and evaluation of management strategies on nutrient abatement in the Rhine basin. *Journal of Environmental Management* 66: 361–376. https://doi.org/10. 1006/jema.2002.0556.
- Varela-Ortega, C., I. Blanco-Gutiérrez, C.H. Swartz, and T.E. Downing. 2011. Balancing groundwater conservation and rural livelihoods under water and climate uncertainties: An integrated hydro-economic modelling framework. *Global Environmental Change* 21: 604–619. https://doi.org/10.1016/j.gloenvcha.2010. 12.001.
- Voinov, A., R. Costanza, T. Maxwell, and H. Vladich. 2007. Patuxent landscape model. 4. Model application. *Water Resources* 34: 501–510. https://doi.org/10.1134/S009780780705003X.
- Xiang, Z., and X. Jun. 2009. Coupling the hydrological and ecological process to implement the sustainable water resources management in Hanjiang River Basin. Science in China Series E: Technological Sciences 52: 1–9. https://doi.org/10.1007/s11431-009-0087-3.
- Yaeger, M.A., M. Housh, X. Cai, and M. Sivapalan. 2014. An integrated modelling framework for exploring flow regime and water quality changes with increasing biofuel crop production in the U.S. Corn Belt. *Water Resources Research* 50: 9385–9404. https://doi.org/10.1002/2014wr015700.
- Zeng, Y., Y. Cai, P. Jia, and H. Jee. 2012. Development of a webbased decision support system for supporting integrated water resources management in Daegu city, South Korea. *Expert Systems with Applications* 39: 10091–10102. https://doi.org/10. 1016/j.eswa.2012.02.065.
- Zia, A., A. Bomblies, A.W. Schroth, C. Koliba, P.D.F. Isles, Y. Tsai, I.N. Mohammed, G. Bucini, et al. 2016. Coupled impacts of climate and land use change across a river–lake continuum: Insights from an integrated assessment model of Lake Champlain's Missisquoi Basin, 2000–2040. Environmental Research Letters 11: 114026. https://doi.org/10.1088/1748-9326/11/11/ 114026.

AUTHOR BIOGRAPHIES

Nicole K. Ward (\boxtimes) is a water resources ecologist at Virginia Tech. She studies human–freshwater interactions and is particularly interested in the intersection of decision-making, land use, and water quantity and quality.

Address: Department of Biological Sciences, Virginia Tech, 926 West Campus Drive, Blacksburg, VA 24061, USA.

e-mail: nkward@vt.edu

Leah Fitchett is a social scientist at Virginia Tech. Her research focuses on the effectiveness of community-based organizations in addressing issues of natural resource management and conservation. *Address:* Department of Forest Resources and Environmental Conservation, Virginia Tech, 310 West Campus Drive, Blacksburg, VA 24061, USA.

e-mail: leahlf2@vt.edu

Julia A. Hart is a limnologist at the University of Wisconsin– Madison. She studies the impact of eutrophication on biogeochemical cycles, especially carbon and greenhouse gas cycling, in freshwater lakes.

Address: Center for Limnology, University of Wisconsin - Madison, 680 N Park Street, Madison, WI 53706, USA. e-mail: jhart6@wisc.edu

Lele Shu is a hydrologist at UC Davis. His research is on numeric hydrologic modeling, land-use change, lake-hydrology modeling, and groundwater–snowpack availability assessment.

Address: Department of Civil and Environmental Engineering, The Pennsylvania State University, 212 East College Avenue, University Park, PA 16802, USA.

Address: Department of Land, Air and Water Resource, University of California, Davis, 223 Hoagland Hall, Davis, CA 95616, USA. e-mail: lzs157@psu.edu

Joeseph Stachelek is a landscape ecologist at Michigan State University. His research focuses on developing new computational approaches for aquatic landscape ecology.

Address: Department of Fisheries and Wildlife, Michigan State University, 480 Wilson Road, East Lansing, MI 48824, USA. e-mail: stachel2@msu.edu

Weizhe Weng is an economist at Virginia Tech. Her research focuses on the valuation of ecosystem services, water quality issues, and environmental policy design.

Address: Department of Agricultural and Applied Economics, Virginia Tech, 250 Drillfield Drive, Blacksburg, VA 24061, USA. e-mail: weizhe11@vt.edu

Yu Zhang is a hydrologist at Duke University. His research lies in the field of hydrological modeling linking catchment and lake hydrology. *Address:* Department of Civil and Environmental Engineering, The Pennsylvania State University, 212 East College Avenue, University Park, PA 16802, USA.

Address: Nicholas School of the Environment, Duke University, 9 Circuit Drive, Durham, NC 27708, USA.

e-mail: yz364@duke.edu

Hilary Dugan is a limnologist at the University of Wisconsin– Madison. She studies how terrestrial and atmospheric changes, such as warming air temperatures or land-use patterns, alter biogeochemical fluxes and aquatic processes in lakes.

Address: Center for Limnology, University of Wisconsin - Madison, 680 N Park Street, Madison, WI 53706, USA.

e-mail: hdugan@wisc.edu

Amy Hetherington is a limnologist at Virginia Tech. Her research focuses on coupled natural human systems linking land-use decision-making, water quality, and lake associations. She is a senior strategist at a digital marketing agency in New York.

Address: Department of Biological Sciences, Virginia Tech, 926 West Campus Drive, Blacksburg, VA 24061, USA. e-mail: amyheth@vt.edu

Kevin Boyle is an economist at Virginia Tech. His research evaluates the best methods for measuring the values people place on environmental resources.

Address: Department of Agricultural and Applied Economics, Virginia Tech, 250 Drillfield Drive, Blacksburg, VA 24061, USA. e-mail: kjboyle@vt.edu **Cayelan C. Carey** is a freshwater ecosystem scientist at Virginia Tech. She studies the interactions among nutrient cycling, carbon dynamics, and plankton communities in lake and reservoir ecosystems. Her main focus is on how humans affect freshwater systems. *Address:* Department of Biological Sciences, Virginia Tech, 926 West Campus Drive, Blacksburg, VA 24061, USA. e-mail: cayelan@vt.edu

Kelly M. Cobourn is a natural resource economist at Virginia Tech. She uses microeconomic tools to study a diversity of natural resource management and policy problems related to water quantity, water quality, and invasive species management.

Address: Department of Forest Resources and Environmental Conservation, Virginia Tech, 310 West Campus Drive, Blacksburg, VA 24061, USA.

e-mail: kellyc13@vt.edu

Paul C. Hanson is a limnologist at the University of Wisconsin– Madison. He investigates carbon cycling, metabolism, and phytoplankton dynamics in lakes through lake ecosystem modeling.

Address: Center for Limnology, University of Wisconsin - Madison, 680 N Park Street, Madison, WI 53706, USA.

e-mail: pchanson@wisc.edu

Armen R. Kemanian is an agroecologist at Penn State. He works at the interface of agriculture and the environment, applying biophysical principles to improve agricultural management and environmental integrity from farm to watershed scales.

Address: Department of Plant Sciences, The Pennsylvania State University, 116 ASI Building, University Park, PA 16802, USA. e-mail: akemanian@gmail.com

Michael G. Sorice is a social scientist at Virginia Tech who studies human behavior as it relates to environmental stewardship.

Address: Department of Forest Resources and Environmental Conservation, Virginia Tech, 310 West Campus Drive, Blacksburg, VA 24061, USA.

e-mail: msorice@vt.edu

Kathleen C. Weathers is an ecosystem ecologist at the Cary Institute for Ecosystem Studies. She studies the ways in which living organisms influence biogeochemical cycling, especially across multiple landscapes and systems.

Address: Cary Institute of Ecosystem Studies, 2801 Sharon Turnpike, Millbrook, NY 12545, USA.

e-mail: weathersk@caryinstitute.org